

In the Claims:

Please amend the claims as follows:

1. (Currently Amended) A patent transport, comprising
a support surface, for supporting a patient,
a base below said support surface, said base
having a bottom,

a first pair of wheels, said pair of wheels having
a ground engaging surface, and

said pair of wheels having movable relative to
said support surface between a first position with said ground
engaging surface above said base bottom and a second position
with said ground engaging surface below said base bottom.

2. (Original) The patient transport of claim 1, further
comprising

a second and third pair of wheels forming attached
to said base bottom.

3. (Original) The patient transport of claim 1, wherein
said support surface has a first horizontal
position and a second chair position.

4. (Original) The patient support of claim 2, wherein
said first pair of wheels are larger than said
second and third pair of wheels.

5. (Currently Amended) A patient support, comprising
a base, said base having a first pair of wheels
and a second pair of wheels fixed to said base,

a support surface supported by and parallel to
said base,

said base having a first position and a second
position, said base supported by said first pair of wheels in
said first position and supported by said second pair of wheels

in said second position.

6. (Original) The patient support of claim 5, wherein said second pair of wheels is larger than said first pair of wheels.

7. (Original) The patient support of claim 5, further comprising
a third pair of wheels attached to said base.

8. (Original) The patient support of claim 7, wherein said first pair of wheels and said third pair of wheels are the same size.

9. (New) The patient support of claim 2, wherein said base extends between said second and third pair of wheels.

10. (New) A patient transport, comprising
a frame,
a support surface for supporting a patient on said frame,
a first set of wheels attached to the bottom of said frame, and
a second set of wheels attached to and movable relative to said frame.

11. (New) The patient transport of claim 10, wherein said first set of wheels is four wheels.

12. (New) The patient transport of claim 10, wherein said second set of wheels is two wheels.

13. (New) The patient transport of claim 10, wherein the top of the second set of wheels extends above the support surface.

14. (New) The patient transport of claim 10, wherein

the second set of wheels is movable between a first position wherein the bottom of the wheels is below the bottom of the first set of wheels and a second position wherein the bottom of the wheels is above the bottom of the first set of wheels.